

**THE 2016 SUMMER WATER TEMPERATURE  
AND FLOW MANAGEMENT PROJECT**

Prepared by:  
Triton Environmental Consultants Ltd.

December 2016

---

---

# Table of Contents

List of Figures .....	<i>i</i>
List of Tables .....	<i>ii</i>
List of Appendices .....	<i>iii</i>
ABSTRACT .....	1
INTRODUCTION .....	1
METHODS .....	2
RESULTS .....	6
DISCUSSION .....	7
Recorded Data	
Volume of Water Used	
Application of the Summer Water Temperature and Flow Management Project Release Criteria	
REFERENCES .....	14
APPENDICES	

---

# List of Figures

---

Figure 1: Nechako River Study Area	3
Figure 2: Recorded Mean Daily Temperatures in the Nechako River above the Stuart River Confluence July 10 to August 20, 2016	12
Figure 3: Skins Lake Spillway Releases and Flows in the Nechako River below Cheslatta Falls and at Vanderhoof July 10 to September 4, 2016	13
Figure 4: Flows in the Nechako River below Cheslatta Falls Resulting from Skins Lake Spillway Releases, July 10 to August 20, 2016	14

# List of Tables

---

Table 1:	Daily Operations to Manage Water Temperatures in the Nechako River above the Stuart River Confluence	4
Table 2:	Predicted and Recorded Mean Daily Water Temperatures in the Nechako River above the Stuart River Confluence, July 10 to August 20, 2016	9
Table 3:	Recorded Mean Daily Water Temperatures in the Nechako River above the Stuart River Confluence, July 10 to August 20, 2016	11

# List of Appendices

---

- Appendix A: Numerical Example of Water Temperature Trend Calculation
- Appendix B: Mean Daily Water Temperatures in the Nechako and Nautley Rivers, 2016
- Appendix C: Mean Daily Skins Lake Spillway Releases and Flows in the Nechako and Nautley Rivers, 2016
- Appendix D: Recorded and Forecast Meteorological Data
- Appendix E: Summer Water Temperature and Flow Management Project Reservoir Release Volume Calculations for July 10 to August 20, 2016

---

## ABSTRACT

---

The 2016 Nechako River Summer Water Temperature and Flow Management Project (the Project) was undertaken to attempt to prevent mean daily water temperatures in the Nechako River above the Stuart River confluence (at Finmoore) from exceeding 20.0°C (68.0°F) between July 20 and August 20. Water temperatures were managed by regulating Skins Lake Spillway releases to control flows in the Nechako River below Cheslatta Falls and at Vanderhoof. In 2016, mean daily water temperatures in the Nechako River above the Stuart River confluence did exceed 20.0°C (68.0°F) during the “control period” on July 28, July 29, August 8, and August 9, reaching a maximum temperature of 20.4°C. River discharge was at the maximum permitted under the operating period on these days. Water temperatures exceeded 20.0° on three additional days (July 17-19) prior to the water temperature control period.

Over the duration of the 2016 Summer Water Temperature and Flow Management Project (July 10 to August 20), the total volume of water released was 9,368.3 m<sup>3</sup>/s-d, (330,842 cfs-d), and the average release during the Project was 223.1 m<sup>3</sup>/s (7,877.2 cfs).

---

## INTRODUCTION

---

The Nechako River Summer Water Temperature and Flow Management Project (the Project) was designed and developed in 1982 and has been successfully implemented since 1983. Since 1988, water temperature and flow management projects (Triton 1995a through Triton 1995h; Triton 1996 through Triton 2010; Triton 2013 through Triton 2015) have been carried out under the auspices of the Nechako Fisheries Conservation Program (NFCP).

The objective of the Project is to attempt to prevent mean daily water temperatures in the Nechako River above the Stuart River confluence (at Finmoore) from exceeding 20.0°C (68.0°F) by regulating releases from the Skins Lake Spillway to control flows in the Nechako River below Cheslatta Falls and at Vanderhoof. The Project operates from July 10 to August 20 (the operational period) with the goal of managing water temperatures in the Nechako River at Finmoore between July 20 and August 20 (the water temperature control period, hereafter referred to as the control period). These dates may vary as directed by the NFCP in accordance with the timing of Sockeye runs in the system, but were followed in 2016. At the completion of the Project, flows in the Nechako River at Cheslatta Falls are

reduced to fall spawning flows by early September.

The Project study area is shown in Figure 1. Unless otherwise stated, references to water temperature, flow (including releases), and meteorological data are mean daily values. Note that water temperature measurements for the Nechako River above the Stuart River confluence are made at Finmoore (the closest readily accessible location) while river discharge measurements are made at Vanderhoof (at the Water Survey of Canada discharge measuring site).

This report reviews the 2016 Summer Water Temperature and Flow Management Project and includes:

- An outline of the method for determining Skins Lake Spillway releases and summaries of the 2016 Skins Lake Spillway releases for the period July 10 to August 20 inclusive;
- Recorded flows and water temperatures (July 10 to August 20) at various locations along the Nechako River; and
- The volume of cooling water used in the 2016 Summer Water Temperature and Flow Management Project.

---

## METHODS

---

Management of the Nechako River flows and water temperatures used water temperature predictions based on five-day meteorological forecasts provided by Environment Canada to determine the schedule of Skins Lake Spillway releases required to meet project objectives. The Summer Water Temperature and Flow Management uses an unsteady-state flow routing model and an unsteady-state water temperature prediction model designed to compute daily flows and water temperatures in the Nechako River during the entire operational period (Envirocon Limited, 1984a,b,c and 1985).

Daily operations followed the protocol defined in the Settlement Agreement (Anon., 1987), and involved collection of water temperature and river stage and discharge data from several locations in the study area, as well as development of five-day meteorological forecasts.



Water temperatures were obtained daily from temperature loggers maintained in the Nechako River below Cheslatta Falls (at Bert Irvine's Lodge), in the Nechako River at Fort Fraser (upstream of the Nautley River), in the Nechako River above the Stuart River confluence, and in the Nautley River. Water temperature data for the Nechako River below Cheslatta Falls and the Nautley River were provided by Water Survey of Canada. Water temperature data in the Nechako River at Fort Fraser and in the Nechako River above the Stuart River confluence were obtained using Unidata 6570A temperature probes which were then downloaded via satellite from the Rom Communications website.

River stages were obtained daily from Water Survey of Canada recorders maintained in the Nechako River below Cheslatta Falls, in the Nechako River at Vanderhoof, and in the Nautley River, and were obtained daily via the Environment Canada (Water Survey of Canada, WSC) website ([www.wateroffice.ec.gc.ca](http://www.wateroffice.ec.gc.ca)). Five-day meteorological forecasts were

downloaded daily from Environment Canada's server.

The first 10 days of the operational period, July 10 to July 19, were utilized for system start-up, for initialization of the database required to schedule Skins Lake Spillway releases, and to increase flows in the Nechako River from spring flows to the minimum cooling flow of 170 m<sup>3</sup>/s (6,000 cfs) below Cheslatta Falls. The 2016 Skins Lake Spillway spring base release as directed by the NFCP was 49.0 m<sup>3</sup>/s (1,730 cfs). Upon commencement of the operational period on July 10, the recorded flow in the Nechako River below Cheslatta Falls was 49.0 m<sup>3</sup>/s (1,730 cfs). The Skins Lake Spillway was increased to 170 m<sup>3</sup>/s (6,000 cfs) on July 11 and to 226.5 m<sup>3</sup>/s (8,000 cfs) on July 14 to ensure flows in the Nechako River below Cheslatta Falls reached the minimum cooling flow of 170 m<sup>3</sup>/s (6,000 cfs) by July 20 (the beginning of the water temperature control period).

Throughout the operational period, water temperatures in the Nechako River were calculated daily for the previous day, the current day, and each of the next four days using the unsteady-state flow routing and water temperature prediction models. These calculations were based on recorded and five-day forecast meteorological data, recorded water temperature, and computed flow data. Forecast water temperature predictions were tabulated and reviewed daily to identify trends in water temperature changes.



**Inset Map**

**Nechako Fisheries Conservation Program**

**Figure 1. Nechako River Study Area**

**Legend**

- WSC Sites
- Stream
- Road
- Waterbody
- Highway

0 5 10 20 30 40 50 Kilometers

Scale: 1:1,500,000

File No:	N:\ACTIVE\4927_MoE\MXD\RalphsMaps\Figure_1.mxd	
Project No:	4801	
Date:	Nov 15, 2013	
Basemap Source:	Orthophoto	
Map Datum:	NAD 1983 UTM Zone 10N	





Table 1										
Daily Operations to Manage Water Temperatures in the Nechako River above the Stuart River Confluence										
Date	11-Jul	12-Jul	13-Jul	14-Jul	15-Jul	16-Jul*	17-Jul	18-Jul	19-Jul	20-Jul
Fifth Day's Predicted Water Temperature @ Date + 4 Days								a5	b5	c5
Fourth Day's Predicted Water Temperature @ Date + 3 Days							a4	b4	c4	
Third Day's Predicted Water Temperature @ Date + 2 Days						a3	b3	c3		
Second Day's Predicted Water Temperature @ Date + 1 Day					a2	b2	c2			
Current Day's Predicted Water Temperature @ Date				a1	b1	c1				
Previous Day's Calculated Water Temperature @ Date - 1 Day			as	bs	cs					
Previous Day's Recorded Water Temperature @ Date - 1 Day			ao	bo	co					
Current Day's Release @ Date				ra	rb	rc				

———→ observed trend  
 - - - -> predicted trend  
 - - - -> forecast trend

\* The current day (i.e., the day of operation) for this example is July 16.

These trends are the same as those used in the water temperature and flow management projects since 1984 (Envirocon Ltd., 1985), and are best explained through reference to Table 1.

Assuming the current day is July 16, entries corresponding to the current day's operation are represented by the letter *c*. Entries *co* and *cs* represent the recorded and calculated water temperatures, respectively, for the previous day

(July 15).

Entries *c1* through *c5* represent predicted water temperatures computed using the current day's five-day meteorological forecast and an assumed current day's flow regime. The entry *rc* represents the current day Skins Lake Spillway release required to meet Project objectives.

The following three trends in water temperature changes were reviewed on a day-by-day basis:

1. Observed trend – developed from recorded mean daily water temperatures measured in the Nechako River above the Stuart River confluence each day (*bo* and *co* in Table 1). The difference in recorded water temperatures for the previous two days is extrapolated over the next five days to determine the observed water temperature trend.
2. Predicted trend – developed from the predicted water temperatures for the previous day and the following five days (*cs*, *c1*, *c2*, *c3*, *c4*, *c5*, in Table 1). These data represent the predicted trend.
3. Forecast trend – developed from the difference between the current five-day and previous five-day predictions for the same calendar days (*c3* and *b4*, *c2* and *b3*, *c1* and *b2* in Table 1). Differences between forecasted data on coincident dates for the current day and the next two days only are averaged and added to the fifth day predicted temperature to determine the trend in forecasted temperatures.

A numerical example of how the trends are calculated is presented in Appendix A.

Each day, predicted water temperatures for the five-day forecast period were checked and the three trends calculated. If two of the three trends indicated that the water temperature in the Nechako River above the Stuart River confluence could potentially exceed 19.4°C (67.0°F) then an increase in the Skins Lake Spillway release was required. When this occurred, the current day's release was revised and the flow and temperature models were rerun using the modified flow regime. Results of each day's final computer run were subsequently used to initialize water temperatures for the following day's computations. Entries in Table 1 represent each

day's final cooling water release and resultant predicted water temperatures.

The following release criteria were used with the three trends identified above to determine the timing and magnitude of Skins Lake Spillway releases:

1. When two of the three trends show an increase in water temperature in the Nechako River above the Stuart River confluence, and these trends show that potentially the water temperature could exceed 19.4°C (67.0°F), increase the Skins Lake Spillway release according to criteria 2 and 3 below.
2. Operate Skins Lake Spillway such that flow in the Nechako River below Cheslatta Falls ranges between 170 m<sup>3</sup>/s (6,000 cfs) and 283 m<sup>3</sup>/s (10,000 cfs) as required, and flow in the Nechako River above the Stuart River confluence (as measured at Vanderhoof) does not exceed 340 m<sup>3</sup>/s (12,000 cfs). It is understood that the flow in the Nechako River below Cheslatta Falls is to be not less than 170 m<sup>3</sup>/s (6,000 cfs) by the beginning of the control period, and is to be reduced to approximately 31.9 m<sup>3</sup>/s (1,124 cfs) by September 1.
3. At any time, increase the Skins Lake Spillway release from the current level to 453 m<sup>3</sup>/s (16,000 cfs) to achieve the flow changes in the Nechako River as quickly as possible.
4. During cooling periods when two of three trends in forecasted water temperatures are decreasing and these trends indicate that potentially the water temperature could drop below 19.4°C (67.0°F) within the forecast period (five days), reduce the Skins Lake Spillway release from the current level to 14.2 m<sup>3</sup>/s (500 cfs).

---

## RESULTS

---

Predicted and recorded mean daily water temperatures for the Nechako River above the Stuart River confluence, Skins Lake Spillway releases, and changes in Skins Lake Spillway releases over the duration of the Project operational period are summarized in Table 2.

Mean daily water temperatures recorded during the control period in the Nechako River above the Stuart River confluence (Figure 2 and Table 3) exceeded 20.0°C (68.0°F) on four occasions (July 28, July 29, August 8, and August 9) during the 2016 STMP. The respective maximum and minimum mean daily water temperatures recorded during the control period were 20.4°C (68.8°F) on July 28 and July 29, and 18.2°C (64.8°F) on July 24. Mean daily water temperatures in the Nechako River below Cheslatta Falls, near Fort Fraser and above the Stuart River confluence, and in the Nautley River near Fort Fraser are presented in Appendix B.

Skins Lake Spillway releases and their corresponding flows in the Nechako River below Cheslatta Falls and at Vanderhoof are plotted in Figure 3 (source data are provided in Appendix C). Changes in Skins Lake Spillway releases during the STMP were made on the following dates:

1. July 11 - Increase to 170 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls to STMP base flow by July 20.
2. July 14 - Increase to 226 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls to STMP base flow by July 20.
3. July 16 - Increase to 453.1 m<sup>3</sup>/s - to increase flow in the Nechako River below Cheslatta Falls in response to warming trend.
4. July 19 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
5. July 21 - Increase to 170 m<sup>3</sup>/s - to ensure flow in Nechako River below Cheslatta Falls is maintained at summer base flow.
6. July 23 - Increase to 453 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls in response to warming trend.
7. July 26 - Decrease to 283 m<sup>3</sup>/s - to limit flow in Nechako River below Cheslatta Falls to a maximum of 283 m<sup>3</sup>/s.
8. July 27 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
9. July 29 - Increase to 453 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls in response to warming trend.
10. July 31 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
11. August 3 - Increase to 170 m<sup>3</sup>/s - to ensure flow in Nechako River below Cheslatta Falls is maintained at summer base flow.
12. August 4 - Increase to 453 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls in response to warming trend.
13. August 7 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
14. August 8 - Increase to 283 m<sup>3</sup>/s - to limit flow in Nechako River below Cheslatta Falls to a maximum of 283 m<sup>3</sup>/s.
15. August 10 - Increase to 453 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls in response to warming trend.
16. August 11 - Decrease to 283 m<sup>3</sup>/s - to ensure flow in Nechako River below

Cheslatta Falls is maintained at summer base flow.

17. August 12 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
18. August 15 - Increase to 453 m<sup>3</sup>/s - to increase flow in Nechako River below Cheslatta Falls in response to warming trend.
19. August 17 - Decrease to 14.2 m<sup>3</sup>/s - to decrease flow in Nechako River below Cheslatta Falls in response to cooling trend.
20. September 3 - Increase to 31.2 m<sup>3</sup>/s - to ensure flow in Nechako River below Cheslatta Falls is maintained at fall spawning flow.

During the control period, measured flows in the Nechako River below Cheslatta Falls (based on preliminary WSC data from the WSC data collection platform at Bert Irvine's Lodge) ranged between a maximum of 303 m<sup>3</sup>/s (10,710 cfs) on July 27 and a minimum of 187 m<sup>3</sup>/s (6,628 cfs) on August 5. Flows measured in the Nechako River at Vanderhoof ranged between a maximum of 342.1 m<sup>3</sup>/s (12,080 cfs) on July 29 and a minimum of 219.7 m<sup>3</sup>/s (7,759 cfs) on August 6.

---

## DISCUSSION

---

The discussion of the 2016 Summer Water Temperature and Flow Management Project has been divided into three sections. The first section reviews the collection and use of recorded field data, including water temperature, flow, and meteorological data (recorded and forecast). The second section discusses the volume of water used during the 2016 Summer Water Temperature and Flow Management Project. The third section provides a brief discussion of the application of the Project release criteria.

## Recorded Data

The modelling procedure was initialized using recorded conditions. The quality of the field data used in the modelling process directly affects the accuracy of the computed water temperatures. Therefore, data must be collected accurately and consistently to ensure that random errors are kept to a minimum. Further, consistency in data collection techniques also ensures that, if a bias exists in the data, it remains relatively constant throughout the project.

In 2016, river discharges in the Nechako River below Cheslatta Falls and at Vanderhoof as recorded by the Water Survey of Canada changed as expected in response to Skins Lake Spillway releases (Figure 3). The hourly stage data from the gauging station located on the Nechako River below Cheslatta Falls proved very useful in verifying the daily predictions of the flow routing model and to account for changes in the local inflow to the Cheslatta/Murray Lakes system.

As previously stated, water temperatures recorded by data loggers were obtained daily from the Rom Communications website for the Nechako River at Fort Fraser and in the Nechako River above the Stuart River confluence.

Recorded water temperatures in the Nechako River above the Stuart River confluence did exceed 20°C on seven occasions. Four of the exceedances occurred during the water temperature control period (July 28 and 29, and August 8 and 9). However, the increase in water temperature was predicted by the water temperature model and the river discharge in the Nechako River below Cheslatta Falls increased to the maximum allowed under the operating protocol (283 m<sup>3</sup>/s) prior to the occurrences. The remaining three (July 17 through July 19) occurred prior to the water temperature control period (July 20 to August 20).

## **Volume of Water Used**

The recorded flows in the Nechako River below Cheslatta Falls for the 2016 Summer Water Temperature and Flow Management Project are shown in Figure 4. Also indicated is the minimum cooling flow of 170 m<sup>3</sup>/s (6,000 cfs) in the Nechako River below Cheslatta Falls, and the Skins Lake Spillway spring base release of 49.0 m<sup>3</sup>/s (1,730 cfs) as determined by the NFCP Technical Committee as part of the "Annual Water Allocation" defined in the 1987 Settlement Agreement (Anon., 1987).

The total volume of water released during the 2016 Summer Water Temperature and Flow Management Project operational period was 9,368.3 m<sup>3</sup>/s-d, (330,842 cfs-d). The volume released for cooling purposes was 7,463.8 m<sup>3</sup>/s-d (263,585 cfs-d), and is based on an assumed Skins Lake Spillway minimum release for fish protection purposes (part of the Annual Water Allocation) of 49.0 m<sup>3</sup>/s (1,730 cfs) for the period July 10 to August 15, inclusive, with a reduction to 14.2 m<sup>3</sup>/s (500 cfs) until August 20. The average release during the operational period was 223.1 m<sup>3</sup>/s (7,877.2 cfs). Volume calculations are presented in Appendix E.

## **Application of the Summer Water Temperature and Flow Management Project Release Criteria**

The Summer Water Temperature and Flow Management Project flow release decisions can be sensitive to the accuracy of meteorological forecasting. If an increase or decrease in temperature occurs over a prolonged period of time (three or four days), inaccurate meteorological forecasts may predict the reversal of the temperature change prematurely.

In these instances, it may be required to exercise judgment when applying the Summer Water Temperature and Flow Management Project release criteria used with the three water temperature trends. This judgment is

based on experience gained in the operation of the Summer Water Temperature and Flow Management Project since 1984 and may result in exceptions to the decision based on strict adherence to the release criteria. Exceptions were made to the application of the release criteria in 2016.

On August 5, 2016 two of three water temperature trends indicated the water temperature would not exceed 19.4°C (67°F) in the Nechako River above Stuart River within the forecast period (5 days). The remaining trend, however, showed that the water temperature could be more than 19.4°C (67°F) within the forecast period. Following these release criteria under these conditions, the release from Skins Lake Spillway could have been decreased from the current release of 453 m<sup>3</sup>/s (16,000 cfs) to 14.2 m<sup>3</sup>/s (500 cfs). However, as there was no strong cooling trend indicated, rather than decrease the discharge it was conservatively decided to maintain the spillway release at 453 m<sup>3</sup>/s (16,000 cfs). A cooling trend was established on August 7 and releases were decreased in accordance with the Protocol.

Table 2

Predicted and Recorded Mean Daily Water Temperatures in the Nechako River above the Stuart River Confluence, July 10 to August 20, 2016

JULY

Date	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
5th Day's Predicted Water Temperature at Date + 4 Days					20.2	19.8	19.6	20.6	21.1	20.8	19.6	19.2	19.8	18.1	17.2	18.7	19.4	19.7	19.7	19.9	19.7	18.7
4th Day's Predicted Water Temperature at Date + 3 Days				20.3	19.5	18.4	19.0	20.6	20.6	20.2	19.6	19.7	18.9	18.1	18.2	18.2	19.0	19.3	19.8	20.2	19.9	19.1
3rd Day's Predicted Water Temperature at Date + 2 Days			19.8	19.4	18.5	17.4	19.6	20.3	20.8	20.0	20.2	19.5	18.8	18.3	17.4	18.3	18.9	19.8	20.3	20.4	20.0	19.0
2nd Day's Predicted Water Temperature at Date + 1 Day		18.9	19.6	19.2	17.5	18.7	19.7	21.0	20.7	20.9	20.1	19.1	18.7	17.5	17.7	18.3	19.6	20.2	20.4	20.5	20.0	19.2
Current Day's Predicted Water Temperature at Date	18.4	20.0	19.9	18.5	19.0	19.1	20.2	20.7	21.4	21.0	19.6	19.1	18.4	18.1	18.0	18.9	19.9	20.2	20.2	20.6	19.9	18.7
Previous Day's Calculated Water Temperature at Date - 1 Day	19.1	20.1	19.6	19.1	19.1	19.2	20.0	20.9	21.6	20.6	19.5	19.0	18.4	17.9	18.0	19.0	19.7	19.9	20.2	20.4	19.4	18.9
Previous Day's Recorded Water Temperature at Date - 1 Day	18.8	19.3	19.7	19.5	19.3	19.0	18.9	19.8	20.3	21.0	21.0	19.7	19.1	18.9	18.3	18.2	18.8	19.6	19.9	20.4	20.4	19.9
Current Day's Skins Lake Spillway Release at Date (m <sup>3</sup> /s)	49	49	170	170	170.0	226.5	226.5	453.1	453.1	453.1	14.2	14.2	170	170	453.1	453.1	453.1	283	14.2	14.2	453.1	453.1
		to			to			to			to			to				to	to		to	to
		170			226.5			453.1			14.2			170				283	14.2		453.1	14.2
		@			@			@			@			@				@	@		@	@
		0800			0800			0800			1600			1600				1600	1600		1600	1600
		hrs			hrs			hrs			hrs			hrs				hrs	hrs		hrs	hrs

Table 2 (continued)

Date	AUGUST																			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
5th Day's Predicted Water Temperature at Date + 4 Days	19.2	19.2	19.7	19.9	19.1	18.3	19.3	20.0	19.8	20.0	19.4	19.5	19.8	19.7	19.4	19.1	19.4	19.4	18.9	19.3
4th Day's Predicted Water Temperature at Date + 3 Days	18.9	19.7	19.8	19.5	19.4	19.2	19.6	19.9	19.9	19.5	19.3	19.6	19.8	19.5	19.5	19.4	19.6	19.1	19.1	19.2
3rd Day's Predicted Water Temperature at Date + 2 Days	19.4	19.3	19.7	20.3	19.5	19.7	19.7	19.5	19.6	19.4	19.3	19.6	19.4	19.8	19.7	19.7	19.4	19.3	19.0	19.6
2nd Day's Predicted Water Temperature at Date + 1 Day	18.7	19.6	20.4	20.0	19.9	19.2	19.2	19.4	20.0	19.3	19.5	19.4	19.8	19.8	19.8	19.9	19.5	19.3	19.5	19.5
Current Day's Predicted Water Temperature at Date	19.3	19.7	19.9	19.8	19.0	18.9	19.3	20.1	19.9	19.8	19.4	19.7	19.7	19.8	20.0	19.8	19.5	19.4	19.5	19.0
Previous Day's Calculated Water Temperature at Date - 1 Day	19.2	19.4	19.7	19.3	18.7	18.9	19.5	19.9	20.0	19.6	19.4	19.6	19.6	19.8	19.8	19.7	19.5	19.4	19.3	
Previous Day's Recorded Water Temperature at Date - 1 Day	19.0	18.9	19.4	19.7	19.5	19.2	19.3	19.7	20.1	20.2	19.8	19.4	19.6	19.7	19.7	19.8	19.9	19.4	19.2	
Current Day's Skins Lake Spillway Release at Date (m <sup>3</sup> /s)	14.2	14.2	14.2	170	453.1	453.1	453.1	14.2	283	283	453.1	283	14.2	14.2	14.2	453.1	453.1	14.2	14.2	14.2
				to			to	to		to	to	to			to		to			
			170	453.1			14.2	283		453.1	283	14.2			453.1		14.2			
			@	@			@	@		@	@	@			@		@			
			1600	1600			1600	1600		1600	1600	1600			1600		1600			
			hrs	hrs			hrs	hrs		hrs	hrs	hrs			hrs		hrs			


Table 3

Recorded Mean Daily Water Temperatures in the Nechako River  
above the Stuart River Confluence, July 10 to August 20, 2016


Date	Water Temperature (°C)	Date	Water Temperature (°C)
10-Jul	19.3	01-Aug	18.9
11-Jul	19.7	02-Aug	19.4
12-Jul	19.5	03-Aug	19.7
13-Jul	19.3	04-Aug	19.5
14-Jul	19.0	05-Aug	19.2
15-Jul	18.9	06-Aug	19.3
16-Jul	19.8	07-Aug	19.7
17-Jul	20.3	08-Aug	20.1
18-Jul	21.0	09-Aug	20.2
19-Jul	21.0	10-Aug	19.8
20-Jul	19.7	11-Aug	19.4
21-Jul	19.1	12-Aug	19.6
22-Jul	18.9	13-Aug	19.7
23-Jul	18.3	14-Aug	19.7
24-Jul	18.2	15-Aug	19.8
25-Jul	18.8	16-Aug	19.9
26-Jul	19.6	17-Aug	19.4
27-Jul	19.9	18-Aug	19.2
28-Jul	20.4	19-Aug	19.1
29-Jul	20.4	20-Aug	19.2
30-Jul	19.9		
31-Jul	19.0		




**Figure 2: Recorded Mean Daily Temperatures in the Nechako River above the Stuart River Confluence  
July 10 to August 20, 2016**



**Figure 3: Skins Lake Spillway Releases and Flows in the Nechako River below Cheslatta Falls and at Vanderhoof  
July 10 to September 4, 2016**





## REFERENCES

Anon. 1987. The 1987 Settlement Agreement between Alcan Aluminium Ltd. and Her Majesty the Queen in Right of Canada, represented by the Minister of Fisheries and Oceans, and her Majesty the Queen in Right of the Province of British Columbia, represented by the Ministry of Energy, Mines and Petroleum Resources.

Envirocon 1984a. Documentation of the Nechako River Water Temperature Model. Technical Memorandum 1957/1. Prepared for Alcan Smelters and Chemicals Ltd.

Envirocon 1984b. Documentation of the Nechako River Unsteady State Water Temperature Model. Technical Memorandum

1957/2. Prepared for Alcan Smelters and Chemicals Ltd.

Envirocon 1984c. Documentation of the Users guide to the 1984 Nechako River Hydrothermal Model. Technical Memorandum 1957/3. Prepared for Alcan Smelters and Chemicals Ltd.

Envirocon Limited. 1985. Review of the 1984 Nechako River Hydrothermal Monitoring and Control Program. Technical Memorandum 1941/C. Chapter 2.0, Methods. Prepared for Alcan Smelters and Chemicals Ltd.

Triton Environmental Consultants Ltd. 1995a. The 1988 Summer Water Temperature and Flow Management Project. Nechako Fisheries

Conservation Program Technical Report No. RM88-5.

Triton Environmental Consultants Ltd. 1995b. The 1989 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM89-2.

Triton Environmental Consultants Ltd. 1995c. The 1990 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM90-2.

Triton Environmental Consultants Ltd. 1995d. The 1991 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM91-2.

Triton Environmental Consultants Ltd. 1995e. The 1992 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM92-2.

Triton Environmental Consultants Ltd. 1995f. The 1993 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM93-2.

Triton Environmental Consultants Ltd. 1995g. The 1994 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM94-1.

Triton Environmental Consultants Ltd. 1995h. The 1995 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM95-2.

Triton Environmental Consultants Ltd. 1996. The 1996 Summer Water Temperature and Flow Management Project. Nechako Fisheries

Conservation Program Technical Report No. RM96-1.

Triton Environmental Consultants Ltd. 1997. The 1997 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM97-1.

Triton Environmental Consultants Ltd. 1998. The 1998 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM98-1.

Triton Environmental Consultants Ltd. 1999. The 1999 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM99-1.

Triton Environmental Consultants Ltd. 2000. The 2000 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM00-1.

Triton Environmental Consultants Ltd. 2001. The 2001 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM01-1.

Triton Environmental Consultants Ltd. 2002. The 2002 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM02-1.

Triton Environmental Consultants Ltd. 2004. The 2004 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM04-1.

Triton Environmental Consultants Ltd. 2005. The 2005 Summer Water Temperature and Flow Management Project. Nechako Fisheries

Conservation Program Technical Report No. RM05-1.

Triton Environmental Consultants Ltd. 2006. The 2006 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM06-1.

Triton Environmental Consultants Ltd. 2008. The 2008 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM08-2.

Triton Environmental Consultants Ltd. 2009. The 2009 Summer Water Temperature and Flow Management Project. Nechako Fisheries

Triton Environmental Consultants Ltd. 2003. The 2003 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program Technical Report No. RM03-1.

Conservation Program Technical Report No. RM09-1.

Triton Environmental Consultants Ltd. 2010. The 2010 Summer Water Temperature and Flow Management Project.

Triton Environmental Consultants Ltd. 2013. The 2013 Summer Water Temperature and Flow Management Project.

Triton Environmental Consultants Ltd. 2014. The 2014 Summer Water Temperature and Flow Management Project.

Triton Environmental Consultants Ltd. 2015. The 2015 Summer Water Temperature and Flow Management Project.

## **APPENDIX A**

### **Numerical Example of Water Temperature Trend Calculation**

## Appendix A

### Numerical Example of Water Temperature Trend Calculation

From data for July 16 date of operation (Table A1).

#### 1. Observed Trend

The observed trend is up by  $0.6^{\circ}\text{C}$  from  $17.9^{\circ}\text{C}$  (J14) to  $18.5^{\circ}\text{C}$  (J15). Take the previous day's recorded temperature  $18.9^{\circ}\text{C}$  (J15) and extrapolate the trend for five days at  $+0.6^{\circ}\text{C}$ . The observed trend shows that the water temperature could potentially reach  $17.9^{\circ}\text{C} + 5(+0.6^{\circ}\text{C}) = 20.9^{\circ}\text{C}$ .

#### 2. Predicted Trend

The predicted trend is the difference between the previous day's calculated water temperature (J15) and the fifth day predicted water temperature (J20). The predicted trend is down from  $18.7^{\circ}\text{C}$  to  $18.5^{\circ}\text{C}$  with the potential to reach  $18.5^{\circ}\text{C}$ .

#### 3. Forecast Trend

The forecast trend for the current day of July 16 is based on the first, second and third day forecasts.

July 16	19.2 to 17.6	=	down	$1.6^{\circ}\text{C}$
July 17	18.8 to 17.8	=	down	$1.0^{\circ}\text{C}$
July 18	18.9 to 18.0	=	down	$0.9^{\circ}\text{C}$

Mean of 3 differences = down  $1.2^{\circ}\text{C}$

This mean of  $-1.2^{\circ}\text{C}$  is added to the fifth day predicted water temperature to give  $18.5^{\circ}\text{C} + (-1.2^{\circ}\text{C}) = 17.3^{\circ}\text{C}$ .

Table A1

Predicted and Recorded Mean Daily Water Temperatures in the Nechako River above the Stuart River Confluence, 2010

Date	JULY										
	10	11	12	13	14	15	16	17	18	19	20
5th Day's Predicted Water Temperature at Date + 4 Days					17.6	18.9	20.2	19.4	20.2	19.3	18.5
4th Day's Predicted Water Temperature at Date + 3 Days				18.3	18.0	19.6	19.0	19.6	18.9	18.4	
3rd Day's Predicted Water Temperature at Date + 2 Days			19.6	18.3	18.9	18.3	19.2	18.8	18.0		
2nd Day's Predicted Water Temperature at Date + 1 Day		20.5	19.9	19.0	17.6	18.7	19.2	17.8			
Current Day's Predicted Water Temperature at Date	20.8	21.3	20.1	17.3	18.1	19.3	17.6				
Previous Day's Calculated Water Temperature at Date - 1 Day	20.9	21.5	20.0	17.2	18.2	18.7					
Previous Day's Recorded Water Temperature at Date - 1 Day	21.1	21.6	21.6	19.7	17.9	18.5					
Current Day's Skins Lake Spillway Release at Date (m <sup>3</sup> /s)	49.0	49.0	136.0	136.0	226.5	226.5	226.5	226.5	226.5	226.5	453.0
		to		to						to	
		136.0		226.5						453.0	
		@		@						@	
		0800		0800						0800	
		hrs		hrs						hrs	





## **APPENDIX B**

### **Mean Daily Water Temperatures in the Nechako and Nautley Rivers, 2016**

## Appendix B

### Mean Daily Water Temperatures in the Nechako and Nautley Rivers, 2016

Date	Nechako River			Nautley	Date	Nechako River			Nautley
	Cheslatta Falls (°C)	Fort Fraser (°C)	above the Stuart River (°C)	Fort Fraser (°C)		Cheslatta Falls (°C)	Fort Fraser (°C)	above Stuart River (°C)	Fort Fraser (°C)
10-Jul	17.2	18.8	19.3	18.5	01-Aug	17.7	18.4	18.9	20.3
11-Jul	17.8	18.8	19.7	19.1	02-Aug	17.9	18.7	19.4	20.6
12-Jul	17.7	18.3	19.5	18.3	03-Aug	18.0	19.1	19.7	20.0
13-Jul	17.6	18.2	19.3	18.8	04-Aug	17.8	18.3	19.5	19.3
14-Jul	17.2	17.9	19.0	18.2	05-Aug	17.6	18.1	19.2	18.9
15-Jul	17.3	18.1	18.9	18.8	06-Aug	17.6	18.3	19.3	19.6
16-Jul	17.6	18.7	19.8	19.8	07-Aug	17.7	18.6	19.7	19.8
17-Jul	17.6	19.3	20.3	20.3	08-Aug	17.7	18.8	20.1	20.4
18-Jul	17.6	19.1	21.0	20.3	09-Aug	17.7	18.6	20.2	20.2
19-Jul	17.6	18.6	21.0	20.7	10-Aug	17.6	18.7	19.8	19.5
20-Jul	17.3	18.2	19.7	19.4	11-Aug	17.6	18.6	19.4	19.8
21-Jul	17.3	17.8	19.1	17.8	12-Aug	17.6	18.4	19.6	19.8
22-Jul	17.3	17.7	18.9	18.7	13-Aug	17.8	18.6	19.7	20.7
23-Jul	17.1	17.4	18.3	17.9	14-Aug	17.9	19.0	19.7	20.8
24-Jul	17.1	17.8	18.2	18.9	15-Aug	17.9	18.7	19.8	20.7
25-Jul	17.3	18.2	18.8	19.3	16-Aug	17.3	18.8	19.9	19.9
26-Jul	17.5	18.7	19.6	20.1	17-Aug	18.1	18.6	19.4	19.9
27-Jul	17.5	18.7	19.9	20.3	18-Aug	17.9	18.5	19.2	20.8
28-Jul	17.7	18.9	20.4	20.9	19-Aug	18.0	18.5	19.1	20.7
29-Jul	17.9	18.9	20.4	20.4	20-Aug	18.1	18.6	19.2	20.3
30-Jul	17.7	18.3	19.9	18.3					
31-Jul	16.9	18.1	19.0	19.2					

## **APPENDIX C**

### **Mean Daily Skins Lake Spillway Releases and Flows in the Nechako and Nautley Rivers, 2016**



Appendix C

Mean Daily Skins Lake Spillway Releases and Flows in the Nechako and Nautley Rivers, 2016

Date	Skins Lake	Nechako River		Nautley River
	Spillway Release (m <sup>3</sup> /s)	Cheslatta Falls (m <sup>3</sup> /s)	At Vanderhoof (m <sup>3</sup> /s)	Fort Fraser (m <sup>3</sup> /s)
10-Jul	49	51.3	92.8	35.3
11-Jul	49 to 170 @ 0800 hrs	52.3	92.6	35.8
12-Jul	170	53.5	94.5	36.0
13-Jul	170.0	63.3	96.6	36.0
14-Jul	170 to 226.5 @ 0800 hrs	77.4	103.0	38.2
15-Jul	226.5	90.5	122.7	39.8
16-Jul	226.5 to 453.1 @ 0800 hrs	109.9	138.9	39.5
17-Jul	453.1	141.5	156.8	40.1
18-Jul	453.1	196.5	174.9	40.8
19-Jul	453.1 to 14.2 @ 1600 hrs	244.5	217.4	41.6
20-Jul	14	272.3	265.6	42.9
21-Jul	14.2 to 170 @ 1600 hrs	246.2	310.7	42.6
22-Jul	170	211	298.1	42.3
23-Jul	170 to 453.1 @ 1600 hrs	200.9	272.2	42.1
24-Jul	453.1	201.1	247.3	41.2
25-Jul	453	240.5	238.8	41.1
26-Jul	453.1 to 283 @ 1600 hrs	279.6	258.6	40.7
27-Jul	283 to 14.2 @ 1600 hrs	303.3	305.2	40.0
28-Jul	14.2	296.0	335.2	38.9
29-Jul	14.2 to 453.1 @ 1600 hrs	262.2	342.1	38.5
30-Jul	453.1	230.2	317.7	37.8
31-Jul	453.1 to 14.2 @ 1600 hrs	262.5	277.6	36.7
01-Aug	14.2	286.8	287.2	36.0
02-Aug	14.2	261.1	313.0	34.9
03-Aug	14.2 to 170 @ 1600 hrs	219.6	302.2	35.0
04-Aug	170 to 453.1 @ 1600 hrs	191.5	266.6	32.8
05-Aug	453.1	187.7	235.8	32.5
06-Aug	453.1	223.8	219.7	31.8

Appendix C (continued)

Mean Daily Skins Lake Spillway Releases and Flows in the Nechako and Nautley Rivers, 2016

Date	Skins Lake	Nechako River		Nautley River
	Spillway Release (m <sup>3</sup> /s)	Cheslatta Falls (m <sup>3</sup> /s)	At Vanderhoof (m <sup>3</sup> /s)	Fort Fraser (m <sup>3</sup> /s)
07-Aug	453.1 to 14.2 @ 1600 hrs	266.9	244.3	31.1
08-Aug	14.2 to 283 @ 1600 hrs	289.7	279.6	30.2
09-Aug	283	259.7	311.6	30.3
10-Aug	283 to 453.1 @ 1600hrs	257.2	299.1	29.6
11-Aug	453.1 to 283 @ 1600 hrs	269.2	287.9	28.4
12-Aug	283 to 14.2 @ 1600 hrs	296.6	293.2	27.5
13-Aug	14.2	289.7	315.6	26.8
14-Aug	14.2	232.6	321.7	26.1
15-Aug	14.2 to 453.1 @ 1600 hrs	222.3	300.4	25.4
16-Aug	453.1	191.7	263.1	25.0
17-Aug	453.1 to 14.2 @ 1600 hrs	223.8	226.7	24.5
18-Aug	14.2	254.4	231.3	23.5
19-Aug	14.2	228.9	264.4	22.8
20-Aug	14.2	194.5	256.2	22.3

**APPENDIX D**  
**Recorded and Forecast Meteorological Data**



Appendix D  
Recorded and Forecast Meteorological Data 2016

13.2	370.8	0.8	11.3	4.9	91.1	90.3	09 07 16
15.1	470.4	0.7	12.4	4.6	91.1	86.7	10 07 16
15.6	595.6	0.3	9.7	4.6	91.1	70.4	
13.8	243.8	0.8	11.1	4.6	91.2	86.5	
13.5	315.5	0.8	10.1	5.5	91.7	83.0	
13.8	602.3	0.1	8.6	4.5	91.8	74.0	
							DD MM YY
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	
ENVIRONMENT CANADA FORECAST ISSUED JUL 10/16							
15.3	409.9	0.4	12.7	6.6	91.1	86.8	10 07 16
15.0	470.4	0.6	10.7	3.0	91.1	78.3	11 07 16
14.7	442.6	0.5	10.4	4.4	91.2	78.3	
15.2	521.0	0.5	9.6	6.3	91.8	71.9	
15.1	688.3	0.1	7.4	5.4	92.2	61.5	
15.8	554.5	0.3	9.4	4.1	92.0	67.7	
							DD MM YY
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	
ENVIRONMENT CANADA FORECAST ISSUED JUL 11/16							
16.8	493.9	0.3	10.0	9.8	91.1	66.0	11 07 16
13.5	386.2	0.7	9.6	4.2	91.2	80.2	12 07 16
14.4	426.4	0.7	10.7	5.0	91.8	81.2	
12.0	248.6	0.7	10.3	4.6	92.1	91.5	
16.1	602.3	0.3	11.3	5.9	92.0	75.8	
18.4	688.3	0.2	10.8	4.2	91.7	62.3	
							DD MM YY
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	
ENVIRONMENT CANADA FORECAST ISSUED JUL 12/16							
13.9	233.4	0.8	10.6	8.4	91.2	83.4	12 07 16
12.9	267.7	0.8	11.2	4.5	91.8	91.4	13 07 16
12.0	153.0	0.9	11.2	4.6	92.1	96.1	
15.3	650.1	0.2	11.1	5.3	92.0	79.3	
18.0	688.3	0.2	10.8	4.5	91.6	63.8	
17.5	535.4	0.3	11.1	4.0	91.3	68.0	
							DD MM YY
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	
ENVIRONMENT CANADA FORECAST ISSUED JUL 13/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

15.5	354.2	0.8	12.1	7.7	91.8	83.2	13 07 16
12.0	183.6	0.9	11.4	4.6	92.1	97.1	14 07 16
15.9	681.6	0.2	10.8	5.2	92.0	74.5	
17.4	693.1	0.1	10.5	5.3	91.6	65.7	
17.7	573.6	0.2	11.2	5.1	91.6	67.5	
18.9	650.1	0.1	12.7	4.3	91.7	69.5	
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 14/16							

13.8	268.7	0.9	11.8	6.6	92.1	89.7	14 07 16
15.6	609.9	0.4	11.1	5.5	91.9	77.9	15 07 16
16.9	661.6	0.1	10.7	4.6	91.6	69.3	
17.0	573.6	0.2	11.3	5.4	91.5	71.7	
18.1	564.1	0.3	12.0	3.3	91.3	69.7	
17.1	602.3	0.1	13.2	5.3	91.2	80.6	
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 15/16							

16.6	540.6	0.3	11.9	7.2	91.9	76.5	15 07 16
17.5	745.7	0.2	9.8	5.3	91.5	61.5	16 07 16
18.3	659.7	0.1	10.4	5.0	91.5	60.4	
19.1	511.5	0.4	12.1	3.4	91.4	64.9	
17.1	473.2	0.4	13.8	4.6	91.2	83.4	
16.2	315.5	0.8	14.5	4.8	91.2	91.6	
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 16/16							

16.9	519.2	0.1	12.0	3.9	91.5	75.4	16 07 16
17.6	692.2	0.2	11.0	4.9	91.6	66.8	17 07 16
18.0	369.0	0.8	12.7	3.0	91.2	73.2	
16.6	506.7	0.4	13.6	4.9	91.1	85.0	
17.0	382.4	0.7	11.8	7.0	91.1	74.3	
16.4	592.7	0.3	7.4	11.4	91.0	54.8	
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 17/16							

18.7	611.6	0.1	12.9	3.5	91.6	71.1	17 07 16
18.4	594.7	0.4	10.9	4.0	91.9	62.5	18 07 16
18.0	562.1	0.4	12.5	6.1	91.0	72.5	
17.0	420.7	0.8	11.3	9.0	91.2	71.4	
17.7	669.2	0.2	8.7	9.1	91.4	55.0	
17.2	659.7	0.0	6.9	10.5	91.5	48.5	
ATEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 18/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

17.8	516.2	0.1	13.1	5.9	91.9	76.3	18 07 16
17.2	648.2	0.2	12.7	6.1	91.1	77.4	19 07 16
17.6	355.6	0.8	9.8	10.6	91.2	61.1	
16.8	564.1	0.3	8.0	10.3	91.4	56.1	
15.2	382.4	0.4	6.6	11.9	91.4	57.1	
13.0	229.5	0.7	8.6	7.4	91.3	78.3	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 19/16							

17.5	332.1	0.8	11.4	16.2	91.2	71.2	19 07 16
17.6	355.6	0.3	8.3	9.3	91.5	60.2	20 07 16
16.8	564.1	0.4	7.0	11.3	91.5	59.7	
15.2	382.4	0.7	7.8	11.1	91.5	63.3	
13.0	229.5	0.5	9.4	6.7	91.6	75.2	
14.2	229.5	0.0	8.2	5.3	91.6	65.3	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 20/16							

17.2	302.8	0.8	11.4	16.2	91.2	71.2	20 07 16
16.3	575.5	0.3	8.3	9.3	91.5	60.2	21 07 16
15.0	433.1	0.4	7.0	11.3	91.5	59.7	
15.6	396.8	0.7	7.8	11.1	91.5	63.3	
14.4	458.9	0.5	9.4	6.7	91.6	75.2	
15.1	678.8	0.0	8.2	5.3	91.6	65.3	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 21/16							

16.6	412.3	0.4	10.2	11.9	91.5	68.0	21 07 16
14.4	420.7	0.4	7.4	10.4	91.5	64.9	22 07 16
14.4	320.3	0.6	7.3	10.3	91.6	64.5	
15.9	540.2	0.3	8.5	8.0	91.6	62.8	
15.5	659.7	0.1	8.5	4.8	91.6	65.1	
16.8	669.2	0.0	10.3	5.1	91.7	67.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 22/016							

15.3	326.5	0.4	8.8	15.9	91.5	67.3	22 07 16
14.3	420.7	0.7	7.2	10.2	91.6	64.4	23 07 16
14.5	568.8	0.3	8.4	9.0	91.5	67.4	
15.1	664.4	0.1	6.4	5.4	91.7	56.5	
16.6	650.1	0.1	9.3	6.4	91.8	63.4	
17.1	669.2	0.0	9.8	4.8	91.9	63.3	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 23/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

15.6	279.3	0.4	8.8	14.4	91.6	66.2	23 07 16
15.8	558.3	0.3	8.6	10.0	91.5	64.3	24 07 16
15.5	655.8	0.1	7.2	6.7	91.7	58.4	
17.0	669.2	0.0	8.6	7.1	91.8	58.4	
16.6	621.4	0.1	9.4	5.3	91.9	63.7	
17.6	650.1	0.1	10.3	6.5	91.9	63.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 24/16							

17.4	441.3	0.4	9.9	16.6	91.5	62.4	24 07 16
15.5	755.3	0.1	7.6	5.8	91.7	60.6	25 07 16
16.5	669.2	0.0	8.7	6.8	91.8	61.0	
17.4	659.7	0.0	9.7	5.2	92.0	61.5	
17.7	544.9	0.2	11.1	6.0	92.1	66.9	
17.2	669.2	0.0	8.6	7.7	91.7	57.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 25/16							

16.5	628.9	0.1	9.5	9.0	91.7	65.2	25 07 16
16.8	755.3	0.0	9.3	5.6	91.8	62.3	26 07 16
17.6	659.7	0.0	10.2	4.9	92.0	62.7	
18.3	650.1	0.3	10.6	6.9	91.9	61.2	
17.4	640.5	0.0	8.0	7.7	91.6	53.1	
14.7	564.1	0.2	4.6	7.0	91.0	49.2	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 26/16							

17.2	608.4	0.1	9.8	10.5	91.8	63.2	26 07 16
17.4	741.9	0.0	9.9	5.1	92.0	62.5	27 07 16
18.2	582.2	0.4	10.8	6.1	91.9	63.1	
17.1	645.3	0.0	8.6	7.2	91.6	57.3	
14.8	449.3	0.4	5.6	6.2	91.2	53.7	
11.7	239.0	0.8	7.7	4.9	91.1	80.0	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 27/16							

17.6	545.5	0.1	11.3	11.9	92.0	68.7	27 07 16
18.4	732.3	0.1	10.9	5.6	91.9	62.5	28 07 16
17.3	601.3	0.1	9.1	6.9	91.5	59.1	
14.4	435.0	0.5	5.3	9.2	91.2	54.6	
14.7	535.4	0.5	8.2	5.4	91.3	67.5	
16.0	640.5	0.0	8.4	5.3	91.6	61.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 28/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

19.3	593.4	0.1	12.3	13.4	91.9	65.1	28 07 16
17.2	705.5	0.1	8.4	7.3	91.5	56.4	29 07 16
14.2	422.6	0.4	4.8	8.8	91.1	52.7	
14.7	602.3	0.4	8.8	3.8	91.3	70.7	
16.1	516.3	0.5	9.0	3.8	91.4	64.8	
16.7	525.8	0.3	10.5	5.0	91.4	69.3	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 29/16							

17.1	592.2	0.1	9.7	15.9	91.5	63.2	29 07 16
14.4	560.2	0.3	4.5	7.8	91.2	50.5	30 07 16
15.2	615.7	0.1	6.7	6.3	91.2	57.4	
16.5	645.3	0.0	9.0	5.0	91.4	62.7	
17.6	444.6	0.5	11.5	4.2	91.5	69.5	
17.5	554.5	0.1	11.9	5.0	91.5	71.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 30/16							

14.4	338.9	0.5	7.0	16.7	91.2	62.8	30 07 16
14.3	613.8	0.4	8.1	4.9	91.3	69.0	31 07 16
15.8	595.6	0.1	9.3	4.2	91.5	67.8	
17.3	592.7	0.1	11.3	4.1	91.5	69.9	
17.7	635.8	0.1	9.4	8.6	91.5	58.7	
14.4	611.9	0.1	4.4	8.6	91.5	50.0	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED JUL 31/16							

15.5	508.3	0.4	9.7	6.0	91.3	70.6	31 07 16
16.0	707.5	0.0	8.9	4.2	91.5	64.7	01 09 16
17.2	540.2	0.2	10.8	3.9	91.6	68.0	
17.8	631.0	0.0	10.0	7.7	91.6	60.9	
15.3	501.9	0.3	6.2	7.6	91.5	54.6	
13.1	554.5	0.4	9.9	5.1	91.4	83.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 01/16							

16.3	535.1	0.3	10.0	4.5	91.5	68.2	01 09 16
17.1	692.1	0.0	10.2	4.2	91.5	65.3	02 09 16
17.1	631.9	0.0	8.9	7.7	91.6	58.7	
15.3	611.9	0.1	4.9	7.4	91.6	48.1	
12.3	291.6	0.5	8.7	5.0	91.4	81.9	
15.3	315.5	0.6	12.9	4.9	91.3	88.4	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 02/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

16.8	425.3	0.3	11.4	6.8	91.5	75.9	02 09 16
17.1	680.7	0.1	8.2	7.4	91.6	55.7	03 09 16
15.2	552.6	0.2	5.6	6.2	91.6	52.0	
15.1	444.6	0.6	11.2	4.9	91.4	80.5	
16.9	463.7	0.3	13.2	5.5	91.3	81.6	
16.6	267.7	0.8	14.0	3.6	91.1	86.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 03/16							

17.2	554.5	0.3	10.1	17.0	91.6	64.9	03 09 16
15.3	661.6	0.2	5.4	6.8	91.6	50.6	04 09 16
14.3	523.9	0.5	11.5	5.8	91.4	86.1	
17.0	425.4	0.3	12.9	6.7	91.3	79.5	
17.6	444.6	0.4	12.8	5.8	91.1	76.2	
18.6	602.3	0.1	12.9	4.3	91.0	71.9	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 04/16							

14.3	380.2	0.3	8.2	8.4	91.6	69.1	04 09 16
13.8	575.5	0.5	11.6	5.3	91.4	89.3	09 09 16
18.1	528.7	0.4	13.1	7.0	91.3	75.2	
17.9	511.5	0.3	12.5	5.8	91.2	73.1	
18.9	602.3	0.0	12.7	4.5	91.0	69.0	
17.0	286.8	0.6	12.3	4.5	91.0	76.5	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 09/16							

14.4	325.6	0.7	10.5	8.7	91.4	80.2	09 09 16
16.8	558.3	0.3	13.7	6.1	91.3	84.3	06 09 16
17.4	407.3	0.4	13.7	5.0	91.2	81.8	
19.0	607.1	0.0	13.6	4.6	91.0	72.9	
18.8	511.5	0.3	10.8	6.1	91.1	60.4	
17.9	592.7	0.0	10.2	6.2	91.2	61.5	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 06/16							

17.2	463.3	0.4	12.1	11.4	91.3	74.1	06 09 16
15.9	447.4	0.4	13.2	4.1	91.1	86.4	07 09 16
18.3	604.2	0.0	13.3	4.5	90.9	75.1	
17.5	387.2	0.5	9.2	7.8	91.0	58.2	
17.4	607.1	0.1	8.9	7.7	91.3	57.5	
16.2	468.5	0.3	7.4	10.1	91.3	56.0	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 07/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

18.3	412.8	0.2	13.2	4.5	91.1	74.5	07 09 16
18.2	663.5	0.0	12.6	4.7	90.9	72.1	09 09 16
17.0	383.4	0.4	9.8	7.3	91.0	63.8	
17.3	592.7	0.2	8.4	7.4	91.3	55.4	
17.6	568.8	0.1	8.3	9.2	91.6	53.4	
17.1	583.2	0.0	8.5	5.9	91.8	56.7	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 09/16							

18.1	453.3	0.2	13.1	6.8	91.9	75.1	09 09 16
16.7	351.8	0.8	10.5	7.1	91.0	69.0	09 09 16
16.9	551.6	0.2	8.9	7.3	91.4	59.9	
17.8	583.2	0.0	8.5	8.4	91.7	53.6	
17.9	597.5	0.0	9.4	5.1	92.0	57.6	
18.0	497.1	0.3	8.9	6.0	91.6	54.5	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 09/16							

17.7	377.9	0.2	11.7	13.1	91.0	70.0	09 09 16
16.9	602.3	0.2	8.8	7.4	91.4	59.3	10 09 16
17.9	592.7	0.0	8.7	8.4	91.7	54.0	
18.3	583.2	0.0	10.4	5.2	91.8	60.0	
18.7	583.2	0.2	9.7	5.7	91.6	55.1	
17.3	497.1	0.3	6.9	5.9	91.5	48.2	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 10/16							

18.3	523.0	0.3	10.6	21.2	91.4	61.2	10 09 16
17.8	585.1	0.1	8.5	8.6	91.8	53.8	11 09 16
17.7	562.1	0.1	9.1	4.9	91.9	57.0	
17.8	568.8	0.1	8.6	6.5	91.6	54.2	
17.6	588.0	0.1	8.3	6.6	91.6	53.4	
17.8	525.8	0.2	8.5	6.4	91.7	53.4	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 11/16							

18.7	514.1	0.3	10.8	16.2	91.8	60.3	11 09 16
17.7	646.3	0.0	9.0	4.8	91.9	56.7	12 09 16
18.3	510.5	0.4	8.7	7.1	91.6	52.1	
17.6	583.2	0.2	8.4	6.7	91.6	54.1	
16.7	382.4	0.4	8.5	5.9	91.7	59.0	
16.3	535.4	0.1	6.2	7.2	91.8	49.8	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 12/16							

Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

16.7	496.5	0.1	10.2	7.4	91.9	67.9	12 09 16
18.4	613.8	0.2	9.1	5.4	91.5	53.4	13 09 16
17.7	552.6	0.3	7.5	7.1	91.4	49.0	
17.4	449.3	0.3	8.9	6.0	91.7	57.5	
17.6	497.1	0.4	9.0	6.7	91.9	57.3	
16.0	564.1	0.0	5.7	7.4	91.9	48.6	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 13/16							

17.6	510.3	0.1	10.4	10.8	91.5	64.1	13 09 16
17.3	638.6	0.1	7.6	6.2	91.5	51.4	14 09 16
17.3	446.5	0.3	9.8	5.2	91.6	62.6	
16.5	583.2	0.1	5.9	7.3	91.9	47.1	
15.0	578.4	0.0	4.8	5.9	92.2	48.7	
14.9	525.8	0.1	5.9	5.1	92.7	54.8	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 14/16							

19.8	520.9	0.3	10.4	14.6	91.5	52.8	14 09 16
17.6	550.7	0.2	9.4	5.2	91.6	59.0	15 09 16
16.2	582.2	0.1	6.2	7.4	91.9	50.2	
15.3	564.1	0.0	5.3	5.0	92.2	50.2	
15.7	568.8	0.0	5.5	4.2	92.5	48.8	
16.6	506.7	0.2	5.0	5.0	91.9	56.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 15/16							

17.2	420.5	0.1	10.6	8.9	91.6	67.0	15 09 16
16.7	617.6	0.1	7.1	6.8	91.9	51.8	16 09 16
15.7	567.9	0.0	6.0	4.8	92.1	51.1	
16.2	530.6	0.1	6.6	4.1	92.4	52.0	
17.3	521.0	0.2	8.7	4.4	92.0	57.2	
18.9	554.5	0.0	9.5	4.1	91.6	53.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 16/16							

17.4	471.9	0.1	8.9	13.8	91.9	57.5	16 09 16
15.1	642.5	0.0	4.8	4.8	92.1	48.6	17 09 16
15.7	566.9	0.0	5.9	4.3	92.5	51.0	
16.8	506.7	0.1	7.7	4.6	92.1	54.7	
19.3	521.0	0.1	10.0	5.2	91.6	53.6	
19.7	544.9	0.0	9.6	5.2	91.3	49.6	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 17/16							



Appendix D (continued)  
Recorded and Forecast Meteorological Data 2016

14.9	521.0	0.1	7.3	6.2	92.1	62.3	17 09 16
15.7	623.3	0.0	6.2	4.1	92.4	52.2	18 09 16
17.1	514.3	0.1	8.6	4.8	91.9	57.3	
19.1	492.4	0.2	8.8	7.3	91.3	48.3	
13.0	339.4	0.6	5.2	10.7	90.7	60.7	
13.6	535.4	0.4	4.6	11.3	91.1	55.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 18/16							

15.0	505.6	0.1	8.0	4.2	92.4	64.9	18 09 16
17.2	560.2	0.2	8.5	5.1	91.9	56.3	19 09 16
18.7	481.8	0.2	8.6	7.4	91.3	49.7	
13.3	253.4	0.8	6.9	10.0	91.7	68.3	
12.7	521.0	0.4	5.5	10.3	91.1	64.4	
14.1	516.3	0.0	5.3	6.9	91.6	56.1	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 19/16							

16.1	426.7	0.5	9.6	8.6	92.9	67.5	19 09 16
18.1	451.2	0.4	9.2	8.5	91.2	55.6	20 09 16
13.4	151.1	0.9	7.6	6.4	91.6	70.8	
13.1	420.7	0.5	9.3	7.6	91.1	81.3	
14.4	535.4	0.1	7.8	5.4	92.0	67.1	
16.2	535.4	0.0	8.6	4.6	92.4	61.8	
A TEMP(C)	RAD(LY)	CC(TTHS)	DPT(C)	SPD(KH)	SPR(KPA)	RH(%)	DD MM YY
ENVIRONMENT CANADA FORECAST ISSUED AUG 20/16							

## **APPENDIX E**

### **Summer Water Temperature and Flow Management Project Reservoir Release Volume Calculations for July 10 to August 20, 2016**

## Appendix E

### Summer Water Temperature and Flow Management Project Reservoir Release Volume Calculations for July 10 to August 20, 2016

Skins Lake Spillway base release for the period July 10 (191) to August 20 (232) = 49.0 m<sup>3</sup>/s

Summer Water Temperature and Flow Management Project Base Release Volume = (JD 229 - JD 191) \* 49.0 + (JD 232 - JD 229) \* 14.16 = 1,904.5 m<sup>3</sup>/s\*days

Time period (Julian Day)	Time (hrs)	Flow Rate (m <sup>3</sup> /s)	Volume (m <sup>3</sup> /s*hrs)
July 10 (191) @ 2400 hrs to July 11 (192) @ 0800 hrs	32.0	49.0	1,568
July 11 (192) @ 0800 hrs to July 14 (195) @ 0800 hrs	72.0	170.0	12,240
July 14 (195) @ 0800 hrs to July 16 (197) @ 0800 hrs	48.0	226.5	10,872
July 16 (197) @ 0800 hrs to July 19 (200) @ 1600 hrs	80.0	453.1	36,248
July 19 (200) @ 1600 hrs to July 21 (202) @ 1600 hrs	48.0	14.2	682
July 21 (202) @ 1600 hrs to July 23 (204) @ 1600 hrs	48.0	170.0	8,160
July 23 (211) @ 1400 hrs to July 26 (207) @ 1600 hrs	72.0	453.1	32,623
July 26 (207) @ 1600 hrs to July 27 (208) @ 1600 hrs	24.0	283.0	6,792
July 27 (208) @ 1600 hrs to July 29 (210) @ 1600 hrs	48.0	14.2	682
July 29 (210) @ 1600 hrs to July 31 (212) @ 1600 hrs	48.0	453.1	21,749
July 31 (212) @ 1600 hrs to August 3 (215) @ 1600 hrs	72.0	14.2	1,022
August 3 (215) @ 1600 hrs to August 4 (216) @ 1600 hrs	24.0	170.0	4,080
August 4 (216) @ 1600 hrs to August 7 (219) @ 1600 hrs	72.0	453.1	32,623
August 7 (219) @ 1600 hrs to August 8 (220) @ 1600 hrs	24.0	14.2	341
August 8 (220) @ 1600 hrs to August 10 (222) @ 1600 hrs	48.0	283.0	13,584
August 10 (222) @ 1600 hrs to August 11 (223) @ 1600 hrs	24.0	453.1	10,874
August 11 (223) @ 1600 hrs to August 12 (224) @ 1600 hrs	24.0	283.0	6,792
August 12 (224) @ 1600 hrs to August 15 (227) @ 1600 hrs	72.0	14.2	1,022
August 15 (227) @ 1400 hrs to August 17 (229) @ 1600 hrs	48.0	453.1	21,749
August 17 (229) @ 1600 hrs to August 20 (232) @ 2400 hrs	80.0	14.2	1,136
<b>Total</b>	<b>1,008</b> <b>(42.0 days)</b>		<b>224,839</b>

Total Release Volume

= 224,839 m<sup>3</sup>/s\*hrs  
 = 9,368.3 m<sup>3</sup>/s\*days  
 = 330,842 cfs\*days

Volume Released for Cooling Purposes

= Total Volume - Base Volume  
 = 9,368.3 - 1,904.5  
 = 7,463.8 m<sup>3</sup>/s\*days  
 = 263,585 cfs\*days

Average Release over Summer Management Period  
 (July 10 to August 20)

= 9,368.3 m<sup>3</sup>/s\*days / 42 days  
 = 223.1 m<sup>3</sup>/s  
 = 7,877.2 cfs